

**RECEIVED
CENTRAL FAX CENTER**

JUL 09 2008

Appl. No. «10/734,860»
Amdt dated July 9, 2008**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-6 (canceled).

7 (Previously presented): A method of managing a repository containing multiple versions of objects, the method being performed by a computer, the method comprising:

establishing a plurality of configurations, each configuration containing no more than one version of an object;

associating no more than one configuration with a workspace from which a query can be issued;

receiving an instruction to insert a first object into said repository, and in response to said receiving of said instruction checking if the first object is contained in another object, and if not performing acts (a) and (b) else performing act (c):

(a) inserting into a first table in a memory of said computer, a first row comprising a plurality of values that define the first object, a unique identifier of the first object, and a version number of the first object; and

(b) inserting into a second table in said memory, a second row comprising the unique identifier of the first object, the version number of the first object, and an identifier of a current configuration as identified by a workspace from which said instruction is received;

wherein acts (a) and (b) are performed in any order relative to one another, and alternatively

(c) inserting into a third table in said memory, a third row comprising a plurality of values that define the first object, a unique identifier of the first object, and at least a

Appl. No. «10/734,860»
Amdt dated July 9, 2008

current version number of a second object which contains the first object, the second object being not contained in any other object.

8 (Original): The method of Claim 7 wherein a third object is located between the first object and the second object, and the first object is indirectly contained in the second object, via the third object.

9 (Previously presented): The method of Claim 7 wherein the second table in said memory comprises a plurality of configurations including the current configuration, each configuration in said plurality of configurations containing no more than one version of the first object.

10 (Original): The method of Claim 7 further comprising if the first object is contained in the second object, storing in the third row in the third table of act (c) a maximum version number of the second object, the current version number being stored as a minimum version number of the second object.

11 (Original): The method of Claim 10 further comprising checking if the second object belongs to a configuration that has been deployed and if so:

in a fourth row which contains a most recent version of the first object in the third table to be used in act (c), set the maximum version number to be the current version number of the second object;

inserting into the first table, a fifth row for the second object, using a new version number obtained by incrementing the current version number of the second object;

using the new version number when performing act (c); and

Appl. No. «10/734,860»
Amdt dated July 9, 2008

inserting in the second table a sixth row containing the new version number of the second object and the identifier of the current configuration.

12 (Original): The method of Claim 7 further comprising receiving another instruction to update the first object, and checking if the first object is contained in any other object.

13 (Original): The method of Claim 12 further comprising, if the first object is not contained in any other object:

checking if the first object belongs to a configuration that has been deployed and if not deployed then updating a row in the first table that holds the first object, and if deployed then creating a new version of the first object in the first table.

14 (Original): The method of Claim 13 further comprising, if the first object is contained in the second object:

checking if the second object is deployed, and if deployed creating a new version of the second object.

15 (Original): The method of Claim 7 further comprising receiving another instruction to delete the first object, and checking if the first object is contained in any other object.

16 (Previously presented): The method of Claim 15 further comprising, if the first object is not contained in any other object:

Appl. No. «10/734,860»
Amdt dated July 9, 2008

checking if the first object belongs to a configuration that has been deployed and if not deployed then deleting the first row in the first table; and

deleting the second row in the second table in said memory.

17 (Original): The method of Claim 15 further comprising, if the first object is contained in the second object:

checking if the second object is deployed, and if deployed creating a new version of the second object.

18 (Currently amended): A ~~storage device encoded with~~ non-volatile medium comprising a plurality of instructions to be executed by a computer, said plurality of instructions comprising:

instructions to establish a plurality of configurations, each configuration containing no more than one version of an object;

instructions to associate no more than one configuration with a workspace from which a query can be issued;

instructions to receive a first instruction to insert a first object into a repository, and instructions to respond to receipt of said first instruction by checking if the first object is contained in another object, and if not performing acts (a) and (b) else performing act (c):

(a) inserting into a first table in a memory, a first row comprising a plurality of values that define the first object, a unique identifier of the first object, and a version number of the first object; and

(b) inserting into a second table in said memory, a second row comprising the unique identifier of the first object, the version number of the first object, and an identifier of a current configuration as identified by a workspace from which said instruction is received;

Appl. No. «10/734,860»
Amdt dated July 9, 2008

wherein acts (a) and (b) are performed in any order relative to one another, and alternatively

(c) inserting into a third table in said memory, a third row comprising a plurality of values that define the first object, a unique identifier of the first object, and at least a current version number of a second object which contains the first object, the second object being not contained in any other object.

19 (Currently amended): The storage device non-volatile medium of Claim 18 further comprising the repository, the third table comprising a first column for holding a maximum version number of the second object and a second column for holding a minimum version number of the second object, the current version number being stored in the second column.

Claim 20 (canceled).

21 (Currently amended): ~~The computer of Claim 6 further comprising:~~

A computer comprising:

a storage medium comprising a repository containing multiple versions of objects;

means, coupled to the storage medium, for establishing a plurality of configurations, each configuration containing no more than one version of an object;

means, coupled to the establishing means and coupled to the storage medium, for associating in a memory only one configuration with a workspace of a person who can issue a query;

Appl. No. «10/734,860»
Amndt dated July 9, 2008

means, coupled to the storage medium, responsive to an instruction to insert the object, for checking if the object to be inserted is contained in another object and if so generating a second signal else generating a first signal;

means, coupled to the storage medium and to the means for checking, responsive to the first signal, for inserting into a table in said memory, a row comprising a plurality of values that define the object, a unique identifier of the object, and a version number of the object and inserting into another table, another row comprising the unique identifier of the object, the version number of the object, and an identifier of a current configuration as identified by a workspace from which said instruction is received by said means for checking; and

means, coupled to the storage medium and to the means for checking, responsive to the second signal, for inserting into yet another table in said memory, yet another row comprising a plurality of values that define the object, a unique identifier of the object, and at least a current version number of said another object in which the object is contained.

22 (New): The non-volatile medium of Claim 18 wherein said non-volatile medium comprises an optical disk.

23 (New): The non-volatile medium of Claim 18 wherein said non-volatile medium comprises a magnetic disk.